FR 206.A

SLIDE TYPE: Regular-Extension Drawer Slide
MOUNTING: Bottom Mount

WIDTH: 20
LOAD CAPACITY: dy

20 mm (0.79 in.) dynamic up to 100 kg (225 lbs.)



MATERIAL: cold rolled steel, zinc plated and powder coated

FEATURES:

steel roller bearings


3 -0.5 20.0 -0.5 20.0 -0.5 20.0 -0.5 20.0 -0.5 20.0 -0.5 20.0 -0.5 20.0 -0.5 20.0 -0.5 20.0 -0.5 20.0 -0.5 20.0 -0.5 20.0 -0.5 20.0 -0.5 20.0 -0.5 20.0 -0.5 20.0 -0.5 -0.

SPECIFICATIONS:

- > stay-closed feature holds the drawer in place when closed
- dual detent in the drawer profile holds the drawer in place when extended
- ▶ with holes for 5mm flat head screws
- steel rear backstop
- zinc plated and powder coated for corrosion resistance
- ▶ additional high weight bearing roller bearings
- hold out detent
- ▶ formed tab to reduce vertical play when closed

APPLICATIONS:

- battery box pull outs
- gas bottle storage pull outs
- equipment storage compartments
- any heavy duty application requiring vibration resistance



Len	gth L	EX	Α	В	C	D	E	F	G	Н	- 1	J	Weight	Order No.
mm	in	mm in	mm in	mm in	mm in	mm in	mm in	mm in	mm in	mm in	mm in	mm in	kg lbs	black
550	21.65	414 <i>16.30</i>	68 2.68	196 7.72		388 15.28	516 20.32	535 21.06	173 6.81	365 14.37	493 19.41		2.63 5.80	*
750	29.53	584 22.99	76 2.99	204 8.03	396 15.59	588 23.15	716 28.19	735 28.94	173 6.81	365 14.37	557 <i>21.93</i>	685 26.97	* *	*
900	35.43	714 28.11	66 2.60	290 11.42	546 21.50	738 29.06	866 34.09	885 <i>34.84</i>	173 <i>6.81</i>	365 14.37	621 24.45	845 <i>32.27</i>	* *	*

Packing Unit: 10 pair per box * on request **Other lengths available on request with minimum order